


TORNADO FX POD

CONGRATULATIONS ON PURCHASING YOUR TOTALLY WICKED TORNADO FX POD KIT



USING YOUR TORNADO FX POD

Filling the Cartridge

Pull the cartridge out of the device, and with mouthpiece facing down, lift the accessible edge of the plastic flap. Insert e-liquid bottle nozzle fully into the filling port, and fill to leave a minimum air gap of approximately 2mm. Close the flap and reinsert the cartridge firmly into the Tornado FX Pod.



Note: After filling a new cartridge, it is recommended to wait 5 minutes to ensure the atomizer head is fully saturated.

Power On and Off

To turn the device on or off, simply press the power button 5 times. The LEDs will flash quickly 3 times to confirm that the on-off state has changed.

Vaping

Press and hold the power button as you inhale the vapour. The LEDs at the bottom of the device will illuminate while the power button is held down to vape.

Battery level indication

Approximately one second after the power button is released, the LED will relight to show the battery's approximate remaining charge as detailed in the table below.

Battery Level	Light Condition
100%-60%	Stays lit for 5 seconds
59%-30%	Flashes slowly
29%-10%	Flashes at a moderate speed
9-0%	Flashes rapidly

Charging the battery

To charge the battery, connect the charge lead into the USB port on the bottom of the Tornado FX Pod. The LEDs will glow red until fully charged, at which point they will turn off.



Changing the Cartridge

The cartridge in the Tornado FX Pod should be changed when the internal atomizer has reached the end of its working life. Indicators that the cartridge may require replacement include a slight burnt taste, general loss of vapour production or a reduction in flavour intensity. Remember to wait 5 minutes after filling a new cartridge before using.



Short Circuit Protection

If a short circuit occurs the LED will flash 5 times in quick succession. Refitting, and if not, replacing the cartridge should allow normal operation to resume.

Atomizer Protection

If the power button is held down for longer than 15 seconds, the device will stop producing any vapour and the power LED will flash 3 times and power off. After releasing the power button the device will need to be turned back on for normal operation to resume.

Low Voltage Protection

If the battery voltage drops below 3.3V, the LED will flash 20 times and the device will power off. Charge the device via USB to power it back on.

Kit Contents

- 1 x Tornado FX Pod battery
- 2 x Tornado FX Pod cartridges
- 1 x User manual
- 1 x USB cable
- Spare parts

Specifications

Dimensions: 26mm x 110mm x 20mm

Battery capacity: 650mAh

Cartridge capacity: 2ml Voltage Output: 3.3V - 4.2V (Direct)

Battery Voltage: 3.7V (Nominal)

Atamiaar Pasistanas Campatibility (

Atomizer Resistance Compatibility: 0.8ohm - 3.0ohm Maximum Filling Nozzle Diameter: 2.9mm

Additional product information

There are no reported medical side effects with this product. If you believe you experience a side effect, please contact the manufacturer.

Product Storage and Battery Precautions

- · Store the Tornado FX Pod and its accessories away from children when not in use.
- Ensure the Tornado FX Pod is powered off when not in use.
- · Avoid accidentally pressing the Tornado FX Pod power button when not in use.
- Please only use the charging cable provided.
 Please dispose of dead batteries in accordance with your country's appropriate
- Do not charge the batteries in a damp environment.
- Do not use the device when temperatures are outside the range -10 60°OC.
 Do not charge the battery when temperatures are outside the range 0 45°C.
- Do not attempt to repair a faulty Tornado FX Pod as these are sealed units with no serviceable parts. Attempted repairs will void the warranty.

Warranty

legislation.

The Tornado FX Pod components have a 28-day parts warranty, with the exception of Atomizer Heads, which are consumable items and covered by "dead on arrival" warranty only. The USB cable supplied has a 12-month warranty. If any parts are found to be faulty within this time please contact our customer service team, whose details are on the back page of this booklet and we will arrange for a replacement. We may require the goods to be returned for further investigation.